

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A cleaning member for cleaning an image carrier,
comprising: a support plate comprising:

a planar face portion configured to be fixed to an object in a position adjacent
to said image carrier,

a fold portion forming a plane that extends at an angle to said planar face
portion,

~~a plurality of reinforcement features~~ reinforcement feature configured to
reinforce a strength of said support plate, ~~at least one of said reinforcement features~~
feature being arranged on said planar face portion, and

a blade connecting portion ~~arranged on~~ coupled to said planar face portion;
and

an elastic blade member connected to said blade connecting portion of said support
plate such that said elastic blade extends toward said image carrier when said support plate is
fixed to said object.

Claim 2 (Original): The cleaning member of Claim 1, wherein said object is an
interior surface of an image forming apparatus.

Claim 3 (Original): The cleaning member of Claim 1, wherein said object is an
interior surface of an image processing cartridge.

Claim 4 (Original): The cleaning member of Claim 1, further comprising a plurality of fixing holes extending through said support plate and configured to receive a screw that fixes the support plate to said object.

Claim 5 (Original): The cleaning member of Claim 1, further comprising a plurality of registration holes extending through said support plate and configured to align said support plate on said object.

Claim 6 (Currently Amended): The cleaning member of Claim 1, wherein said ~~plurality of reinforcement features comprise:~~

said reinforcement feature comprises a convex shaped protrusion extending from said planar face of said support plate; and

said fold portion comprises a fold portion forming a plane that extends substantially at a right angle to said planar face portion.

Claim 7 (Original): The cleaning member of Claim 6, wherein said fold portion extends in a direction of said convex shaped protrusion such that the folded portion, convex shaped protrusion and said blade connecting portion all are formed on said planar face portion.

Claim 8 (Original): The cleaning member of Claim 6, wherein said fold portion extends in a direction opposite of said convex shaped protrusion such that the folded portion is arranged on an opposite face to said planar face portion that said protrusion and blade connecting portion are formed on.

Claim 9 (Original): The cleaning member of Claim 6, wherein:

said fold portion is positioned on an edge of said planar face portion,

said elastic blade is connected to an opposite edge of the planar face portion,

and

said convex shaped protrusion is positioned between said edge and opposite edge.

Claim 10 (Original): The cleaning member of Claim 9, further comprising fixing holes positioned on opposite ends of said convex shaped protrusion.

Claim 11 (Original): The cleaning member of Claim 10, wherein said fixing holes are substantially aligned with said convex shaped protrusion to form an array extending along said edge and opposite edge.

Claim 12 (Original): The cleaning member of Claim 10, wherein said fixing holes are offset from said convex shaped protrusion in a direction extending from said edge to said opposite edge.

Claim 13 (Original): The cleaning member of Claim 10, wherein said convex shaped protrusion is substantially centered between said fixing holes.

Claim 14 (Original): The cleaning member of Claim 10, further comprising registration holes substantially aligned with said fixing holes to form an array extending along said edge and opposite edge.

Claim 15 (Original): The cleaning member of Claim 10 wherein said convex shaped protrusion comprises a continuous convex shaped protrusion that extends along said edge and opposite edge.

Claim 16 (Original): The cleaning member of Claim 10, wherein said convex shaped protrusion comprises a plurality of discrete convex shaped protrusions aligned on said planar face portion.

Claim 17 (Original): The cleaning member of Claim 16, further comprising at least one fixing hole positioned between said plurality of convex shaped protrusions.

Claim 18 (Currently Amended): The cleaning member of Claim 1, wherein at least one of said fold portion and said reinforcement features feature is positioned on said planar face to extend in an axial direction of said image carrier when said support plate is fixed to said object.

Claim 19 (Original): The cleaning member of Claim 6, further comprising a groove portion arranged along at least one side of said convex shaped protrusion to relieve a mechanical stress on said support plate when said convex shaped protrusion is formed in said support plate.

Claim 20 (Original): The cleaning member of Claim 6, further comprising a bend formed between said convex shaped protrusion and said edge having said elastic blade formed thereon.

Claim 21 (Original): The Cleaning member of Claim 20, further comprising a cut out portion positioned along said edge and configured to receive said elastic blade.

Claim 22 (Original): The cleaning member of claim 1, wherein the cross section second moment of the support plate containing the reinforcement member is 50mm^4 or more.

Claim 23 (Currently Amended): A cleaning member for cleaning an image carrier, comprising:

a support plate comprising:

means for fixing the support plate to an object in a position adjacent to said image carrier, and

a fold portion forming a plane that extends at an angle to a plane of said support plate,

means arranged on said plane of the support plate, for reinforcing ~~reinforce~~ a strength of said support plate, ~~at least one of said reinforcement features arranged on said planar face portion;~~

an elastic blade member configured to clean said image carrier when said support plate is fixed to said object; and

means for connecting said elastic blade to said support plate.

Claim 24 (Original): The cleaning member of Claim 23, further comprising means for aligning said support plate on said object.

Claim 25 (Original): The cleaning member of claim 23, further comprising means for relieving a mechanical stress on said support plate when said convex shaped protrusion is formed in said support plate.

Claim 26 (Original): An image forming apparatus comprising:
an image carrier;
an interior wall; and
a cleaning member mounted to said interior wall and configured to clean said image carrier, said cleaning member comprising:
a support plate comprising:
a planar face portion configured to be fixed to said interior wall in a position adjacent to said image carrier,
a fold portion forming a plane that extends at an angle to said planar face portion,
~~a plurality of reinforcement features~~ reinforcement feature configured to reinforce a strength of said support plate, ~~at least one of said reinforcement features~~ feature being arranged on said planar face portion, and
a blade connecting portion ~~arranged on~~ coupled to said planar face portion;
and
an elastic blade member connected to said blade connecting portion of said support plate such that said elastic blade extends toward said image carrier when said support plate is fixed to said interior wall.

Claim 27 (Currently Amended): An image processing cartridge, comprising:
an image carrier;

an interior wall; and
a cleaning member mounted to said interior wall and configured to clean said image carrier, said cleaning member comprising:

a support plate comprising:

a planar face portion configured to be fixed to said interior wall in a position adjacent to said image carrier,

a fold portion forming a plane that extends at an angle to said planar face portion,

~~a plurality of reinforcement features~~ reinforcement feature configured to reinforce a strength of said support plate, ~~at least one of said reinforcement features~~ feature being arranged on said planar face portion, and

a blade connecting portion ~~arranged on~~ coupled to said planar face portion;
and

an elastic blade member connected to said blade connecting portion of said support plate such that said elastic blade extends toward said image carrier when said support plate is fixed to said interior wall.

Claim 28 (New): The cleaning member of claim 1, wherein said blade connecting portion is arranged on said planar face portion.

Claim 29 (New): The cleaning member of claim 1, wherein said blade connecting portion is arranged on a surface that extends at an angle from the planar face portion.